

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/403,338	10/19/1999	SEINOSUKE HORIKI	2710/60471	7137
7:	590 05/08/2002			
COOPER & DUNHAM 1185 AVENUE OF THE AMERICAS NEW YORK, NY 10036			EXAMINER	
			KRUER, K	KRUER, KEVIN R
			ART UNIT	PAPER NUMBER
			1773 DATE MAILED: 05/08/2002	7

Please find below and/or attached an Office communication concerning this application or proceeding.

				AS-?			
		Application No.	pplicant(s)				
Office Action Summary		09/403,338	HORIKI ET AL.				
		Examiner	Art Unit				
		Kevin R Kruer	1773				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover she	et with the correspondence addr	ess			
THE I - Exter after - If the - If NC - Failu - Any r	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. In sions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, r within the statutory minimum will apply and will expire SIX (6 cause the application to beco	nay a reply be timely filed of thirty (30) days will be considered timely.) MONTHS from the mailing date of this commune ABANDONED (35 U.S.C. § 133).	munication.			
1)	Responsive to communication(s) filed on 12 F	ebruary 2002 .					
2a) <u></u> □	This action is FINAL. 2b)⊠ Th	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
	ion of Claims						
•	Claim(s) 1, 3, 5-10, and 12 is/are pending in the application.						
	4a) Of the above claim(s) <u>9,10 and 12</u> is/are withdrawn from consideration.						
	Claim(s) is/are allowed.						
6) 7\	Claim(s) 13, and 5-8 is/are rejected.						
	Claim(s) is/are objected to.	- alaatian raaviraana					
	Claim(s) are subject to restriction and/o ion Papers	r election requiremen	it.				
	The specification is objected to by the Examine	r					
·	The drawing(s) filed on is/are: a) accept		by the Examiner				
,	Applicant may not request that any objection to the	,	-				
11) 🔲	The proposed drawing correction filed on	=	• • • • • • • • • • • • • • • • • • • •				
ŕ	If approved, corrected drawings are required in rep						
12)	The oath or declaration is objected to by the Ex	aminer.					
Priority (under 35 U.S.C. §§ 119 and 120						
13)⊠	Acknowledgment is made of a claim for foreign	priority under 35 U.S	S.C. § 119(a)-(d) or (f).				
a)	☑ All b)☐ Some * c)☐ None of:						
	1.⊠ Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No						
* 5	Copies of the certified copies of the prior application from the International Buse the attached detailed Office action for a list.	reau (PCT Rule 17.2	(a)).	tage			
14) 🗌 A	Acknowledgment is made of a claim for domesti	c priority under 35 U.	S.C. § 119(e) (to a provisional a	pplication).			
)						
Attachmen	,	•	••				
2) Notic	ee of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s) _	5) Noti	rview Summary (PTO-413) Paper No(s) ce of Informal Patent Application (PTO- er:				
.S. Patent and T	Indomer's Office						

Art Unit: 1773

DETAILED ACTION

Election/Restriction

Applicant's election with traverse of claims 1, 3, and 5-8 in Paper No. 6 is acknowledged. The traversal is on the ground(s) that a search directed to either invention will seek to uncover prior art for the other invention. This is not found persuasive because the examiner does not have to show undue burden when restricting a national stage application. The examiner only has to show that the single general inventive concept common to all claims in known in the art. In the present application, the single inventive concept is a porous molded material impregnated with a phenolic resin. The examiner has provided numerous references that teach said concept. Thus, the restriction is still deemed proper and is therefore made FINAL.

This application contains claims 9, 10, and 12 are drawn to an invention nonelected with traverse in Paper No. 4. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Oath/Declaration

1. Receipt is acknowledged of papers filed under 35 U.S.C. 119 (a)-(d) based on an application filed at the WPO on February 19, 1999. Applicant has not complied with the requirements of 37 CFR 1.63(c), since the oath or declaration does not acknowledge the filing of the PCT application. A new oath or declaration is required in the body of which the present application should be identified by application number and filing date.

Art Unit: 1773

Specification

The abstract of the disclosure is objected to because it is longer than one paragraph in length. Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

2. Claims 1, 3, 5, and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP06270329 (a.k.a. Yuka'329), JP07195870 (a.k.a. Yuka'870, JP08121092 (a.k.a. Yuka'192), or JP05204609 (a.k.a. Yuka'609), in view of Taylor (US 4,292,105). Yuka'329 teaches a fibrous material impregnated with a sulfomethylated compound of a condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract).

Yuka'870 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers, wood chips, and nonwoven fabrics, or as an impregnate or adhesive (page 1 of translation).

Yuka'192 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may

.

Art Unit: 1773

be used as a binder in molding fibers, wood chips, and nonwoven fabrics, or as an impregnate or adhesive (page 1 of translation).

Yuka'609 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers (page 1 of translation).

Yuka '329, Yuka'870, Yuka'192, and Yuka'609 does not teach that the resin should be advanced to the B-stage of curing. However, Taylor teaches a fibrous textile impregnated with a thermosetting polymer (col 1, lines 10+). Taylor teaches that the polymerization of the thermosetting polymer should be advanced to the B-stage, because the impregnated material can be stored for a reasonable length of time in that state (col 1, lines 18+). Thus, it would have been obvious to one of ordinary skill in the art to cure the resins taught in Yuka '329, Yuka'870, Yuka'192, and Yuka'609 to the B-stage after impregnation in order to obtain a product that could be stored fro a reasonable length of time.

3. Claims 1, 3, 5, and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP06270329 (a.k.a. Yuka'329), JP07195870 (a.k.a. Yuka'870, JP08121092 (a.k.a. Yuka'192), or JP05204609 (a.k.a. Yuka'609), in view of Benzinger (US 3,617,613). Yuka'329 teaches a fibrous material impregnated with a sulfomethylated compound of a condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract).

"Control Hambon: Gor 199,00

Art Unit: 1773

Yuka'870 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers, wood chips, and nonwoven fabrics, or as an impregnate or adhesive (page 1 of translation).

Yuka'192 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers, wood chips, and nonwoven fabrics, or as an impregnate or adhesive (page 1 of translation).

Yuka'609 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers (page 1 of translation).

Yuka '329, Yuka'870, Yuka'192, and Yuka'609 do not teach that the resin should be advanced to the B-stage of curing. However, Benzinger teaches a glass fiber sheet impregnated with a thermosetting resin (abstract). Benzinger teaches that the flow rate of a thermosetting resin can be controlled by polymerizing the polymer to the B stage. Thus, it would have been obvious to one of ordinary skill in the art to cure the resins taught in Yuka '329, Yuka'870, Yuka'192, and Yuka'609 to the B stage in order to control the resin's flow.

Art Unit: 1773

4. Claims 1, 3, 5, and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP06270329 (a.k.a. Yuka'329), JP07195870 (a.k.a. Yuka'870, JP08121092 (a.k.a. Yuka'192), or JP05204609 (a.k.a. Yuka'609), in view of Casadevall (US 3,960,626). Yuka'329 teaches a fibrous material impregnated with a sulfomethylated compound of a condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract).

Yuka'870 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers, wood chips, and nonwoven fabrics, or as an impregnate or adhesive (page 1 of translation).

Yuka'192 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers, wood chips, and nonwoven fabrics, or as an impregnate or adhesive (page 1 of translation).

Yuka'609 teaches a sulfomethylated condensation polymer. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers (page 1 of translation).

Art Unit: 1773

Yuka '329, Yuka'870, Yuka'192, and Yuka'609 do not teach that the resin should be cured to the B stage. However, Casadevall teaches that the handlability of fiber impregnated with a phenolic resin can be improved by curing to the B stage. Thus, it would have been obvious to one of ordinary skill in the art to cure the resins taught in Yuka '329, Yuka'870, Yuka'192, and Yuka'609 in order to improve their handlability.

5. Claims 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Franz et al. (US 3,922,459) in view of JP06270329 (a.k.a. Yuka'329), JP07195870 (a.k.a. Yuka'870), JP08121092 (a.k.a. Yuka'192), or JP05204609 (a.k.a. Yuka'609). Franz teaches a web of fibers impregnated (abstract) with a phenol formaldehyde resin (col 8, line 51). A metal foil may be glued to one or both sides of the impregnated fibers (col 8, lines 32-36).

Franz does not teach that the fibers should be impregnated with the claimed sulfomethylated or sulfomethylated phenolic resin. However, Yuka'329, Yuka'870, Yuka'192, and Yuka'609 each individually teach sulfomethylated condensation polymers. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers (page 1 of translation). Such resins have better pot life and better water solubility than phenol formaldehyde resins. Therefore, it would have been obvious to utilize the sulfomethylated phenolic condensation polymers taught in Yuka'329, Yuka'870, Yuka'192, and Yuka'609 in place of the phenolic formaldehyde resin taught in Franz because such sulfomethylated resins have better pot life and water solubility-thus making processing easier.

Art Unit: 1773

1. Claims 1, 3, and 5-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Burke (US 3,619,342) in view of JP06270329 (aka Yuka'329), JP07195870 (a.k.a. Yuka'870), JP08121092 (aka Yuka'192), or JP05204609 (aka Yuka'609). Burke teaches a corrugated fiberboard which resists deterioration in strength when in the presence of water. The board comprises liner members bonded to either side of a corrugate medium which has been treated with phenol aldehyde resole resin (abstract). The phenol aldehyde resole should have a water solubility such that an aqueous solution comprising 55wt% resin solids can be prepared (col 2, line 75).

Burke does not teach that the medium should be impregnated with the claimed sulfomethylated or sulfimethylated phenolic resin. However, Yuka'329, Yuka'870, Yuka'192, and Yuka'609 each individually teach sulfomethylated condensation polymers. The condensation polymer comprises a phenol and aldehyde and/or aldehyde donor(abstract). The phenol aldehyde resin is then cured with an amine compound (abstract). The resin may be used as a binder in molding fibers (page 1 of translation). Such resins have better pot life and better water solubility than phenol formaldehyde resins. Therefore, it would have been obvious to utilize the sulfomethylated phenolic condensation polymers taught in Yuka'329, Yuka'870, Yuka'192, and Yuka'609 in place of the phenolic formaldehyde resin taught in Burke because such sulfomethylated resins have better water solubility, thus making it easy to prepare an aqueous solution comprising 55wt% resin solids.

Response to Arguments

Applicant's arguments with respect to claims 1, 3, and 5-8 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 1773

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin R. Kruer whose telephone number is (703) 305-0025. The examiner can normally be reached on Monday-Friday from 7:00 a.m. to 4:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver, can be reached on (703) 308-1261. The fax phone number for the organization where this application or proceeding is assigned is (703)305-5436.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

Kevin R. Kruer

Patent Examiner

2-R76-

BLAINE COPENHEAVER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700